

$$b_1 = \frac{\sum(x-\bar{x})(y-\bar{y})}{\sum(x-\bar{x})^2} = \frac{n\sum(xy) - \sum x \sum y}{n\sum x^2 - (\sum x)^2}$$

$$b_0=\bar{y}-b_1\bar{x}$$

$$SS_{tot} = \sum_{i=1}^n(y_i - \bar{y})^2$$

$$SS_{res} = \sum_{i=1}^n(y_i - (b_0 + b_1x_i))^2$$

$$s_{b_1} = \sqrt{\frac{s_{y|x}^2}{(n-1)s_x^2}} \quad \text{use with } t_{(df=n-2)}$$

$$s_{\hat{y}} = s_{y|x}\sqrt{\frac{1}{n}+\frac{(x-\bar{x})^2}{(n-1)s_x^2}} \quad \text{use with } t_{(df=n-2)}$$

$$s_{Y_{new}} = s_{y|x}\sqrt{1+\frac{1}{n}+\frac{(x-\bar{x})^2}{(n-1)s_x^2}} \quad \text{use with } t_{(df=n-2)}$$

$$r = \frac{\sum(x-\bar{x})(y-\bar{y})}{\sqrt{\sum(x-\bar{x})^2\sum(y-\bar{y})^2}} = b_1\frac{s_x}{s_y}$$

$$r^2 = \frac{SS_{reg}}{SS_{tot}}$$

$$\frac{MS_{reg}}{MS_{res}} = \frac{(n-2)r^2}{(1-r^2)}$$

$$r_{-i} \hspace{0.2cm}>2>3$$

$$h_{ii} \hspace{0.2cm}>\frac{2(k+1)}{n}$$

$$D_i \hspace{0.2cm}>1>4$$

$$VIF \hspace{0.2cm}>10$$

$$C_p \hspace{0.2cm} \approx k+1 \hspace{0.2cm} \text{(or less)}$$